

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

#070016 #0700 2 4
List PWS ID #s for all Water Systems Covered by this CCR

Poplar Springs Water Association Public Water Supply Name

The Federal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please Answer the Following Questions Regarding the Consumer Confidence Report
Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
 □ Advertisement in local paper □ On water bills □ Other
Date customers were informed://
CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
Date Mailed/Distributed: / /
CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
Name of Newspaper: The Calhoun County Sournal
Date Published: _5 / 26/ 1/
CCR was posted in public places. (Attach list of locations)
Date Posted: 8/8/\$
CCR was posted on a publicly accessible internet site at the address: www
CERTIFICATION
hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.
Name/Title (President, Mayor, Owner, etc.) Date Date
Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

570 East Woodrow Wilson • Post Office Box 1700 • Jackson, Mississippi 39215-1700 601/576-7634 • Fax 601/576-7931 • www.HealthyMS.com

Equal Opportunity In Employment/Service



2010 Annual Drinking Water Quality Report Poplar Springs Water Association PWS#: 070016 & 070024 May 2011

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Gordo Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Poplar Springs Water Association have received lower susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Charles Mahan at 662.682.7747. We want our valued customers to be informed about their water utility. If you want to learn more, please attend the meeting scheduled for August 23, 2011 at 7:00 PM at the Vardaman Community Center.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2010. In cases where monitoring wasn't required in 2010, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
-------------	------------------	-------------------	-------------------	---	--------------------------	------	-----	--------------------------------

8. Arsenic	N	2008*	1.4	1.3 – 1.4	ppb	n/a	10	D Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2008*	.177	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	.3	0	ppm	1.3	AL=1.0	3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.157	.156 – .157	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	6	0	ppb	0	AL=1	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	4	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	on By-	Products						
Chlorine	N	2010	.58	.48	ppm	0 MDF	1	Vater additive used to control nicrobes

PWS ID #	100/0024			TEST RES	JLTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects # of Samples Exceeding MCL/ACL	or Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
8. Arsenic	N	2008*	1.6	No Range	ppb	n/a	10	Erosion of natural deposits; runof from orchards; runoff from glass and electronics production waste:
10. Barium	N	2008*	.181	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	.3	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.195	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	2	0	ppb	0	AL=15	
19. Nitrate (as Nitrogen)	N	2010	.19	No Range	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
21. Selenium	N	2008*	6	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	on By-Pr	oducts						
Chlorine	N 2	010 .4	7 .3	9 pp	om	0 MDF		Vater additive used to control

* Most recent sample. No sample required for 2010.

As you can see by the table, our system had no contaminant violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Poplar Springs Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

2010 Annual Drinking Water Quality Report Popler Springs Water Association PNYSE 070016 & 070024

With pieces (i) present to you this year's furnal Quality Water Report. The month is designed to inform you about the quiet year and services are deliver to you every deliver. Any other than you will be also and dependable supply of critically seller. We and services are deliver to you can be also and dependable supply of critical years and you will be also and present you will be a deliver are make to the present you will be added to a deliver as when the present you will be added to the present you will be a deliver as when you will be a deliver to the your deliver and you will be a deliver to the your delivers. The young the young the young the present you will not you will be a delivery to the young they young the young the young they young the

The source treater assessment has been comprised by our public users updom to operation the owned autocatibility of its drivent water study to identify observed becomes of most constantly colleged information on the wife an unsupplied in the contraction of the public server of the constantly colleged information of the wife an unsupplied in the constantly of the contraction of the contracti

If you have any questions about this report or concerning your water table, please contact Charles Maham at 050,550,7747. We our valued customers to be informed about their water table, if you want to footh more, please spaced the mosting schedules.

We consider proceed for consideration in your disable was accorded to Federal and Class Serv. The holds belief and of the disable where contribution is not considered and contribution of the contribution of

in this table you will find many terms and abbreviations you might not be terminer with. To halp you better understand those terms we've provided the following defendors:

Accord Lavel + the concentration of a contentioned which, if expended, triggers investment or other requirements which is secure affects and the form

Materian Conference (Article (MCL) - 100 Materials (Article (MCL) - 100 Materials (Article (MCL) - 100 Materials (MCL) (

Assonium Pleniches Distributers Level (MSDL) - The highest level of a distributers aboved in dicking water. There is common excessions that existing to a distributers in recession for control microbial contentiants.

Maximum Presidual Distributions Level Goal (MRCLG) - The level of a distring water distribution below which there is no known

Partir par million (ppm) or Millyrams par lear (mgl) - one part par million companied to one minute in and years or a resign \$10,000.

Contract the Deliver (model or Microsoffers and Services and Services and Services to Code (minutes in 2,000) years, or it single persys

PWS ID#0	70016			TEST RESUL	TS			
COMMISSION	Viciación YAN	Colected	Lavel Detected	Range of Detects or # of Samples Exceeding MCLACL	Unit Manager France	MOTO	MCI	Likely Source of Contamination
Inorganic (Contam	inante	W. (1964)					7 (1) (1)
8. Arsenic	۳.	300	14	13-14	P	*	10	Erroron of natural exposite, nor form property: purel from pleas and electropics production was
10 Barioto		3008.	.177	Ho Racqu	ppon .	1		Discharge of drawing weeker, discharge Post credit reference arcaigs of makers deposits
t4 Copper	1	SOC#"	,	0	pyrm	13	AL#13	Conseion of household pluraty systems, explain of return deposits teaching from wood assessmither
SE Flycolds	N	2008"	SEP .	.156157	pon			Eyeate of natural deposits; in actitive which promotes offer ands, declarge from fartitum and physical profession.
17 Load	*	2008*	3.62	•	**		ALPIS	Correction of Introduction places systems, excelled of making decrease
21. Ealeskys	*	2008	•	No Regs	1		*	Declarge foot patricom and make privates, process of makes deposits, decisings to
Disinfection	n Bv-P	roducts						
Charine			4 1	4 · 3 · Per	100	9 M	R. SA Y	Pater actions pass to cocket

Contaminant	070024 Violence YAN	Consected	Largi Colocted	Range of Detects or 5 of Sarrying Grounding MCLACS	Unit Manager street	MCLO	#1 .	Library Reprint of Contemporation
Inorganic (Contam	inants				100		Sugarsal A
2 Avenic	M	2006	1.0	No Range	pph .	**	10	Excelor of autural deposits; pare form exphants; runoll from glade and electronics production wheth
io Benuti	H	2006	.181	No Runge	<i>1</i> 904		2	Charterings of drilling weeken, chartering from maked references, ampairs of restured deposits
14. Copper	H (0)	3004.	3	•	POSO.	1.5	ANIS	Company of incentral photolic systems produced forested deposits, bending from most preservatives
(6. Fluoride	H	3096	.585	Ha Range	ppen	4.	120	Erosios of natural degrada, suos auditore which porrolles blong seeth, decharge from facilitar and autrisous facilitar
if Lead	H	2008"	2	•	(ND	- 0	ALAHS	Convenies of hospitaled plumber systems, exested of hebrid
IS. Nicrala (es Atrogen)	*	2010	.19	No Range	ppm:	10	19	Russell from feetileast year. Seeching Start seeplin technic security applies of MAX'ell deposits
il Sokram	H	5004.	6	Ho Range	pp4		**	Discharge from patichers and metal reforates, erosion of secural deposits, decharge from

We are required to monce your driving water for specific consistents on a monthly basis. Results of regular monitoring are a recorded of whether no not or croking writer meets health state (a feet of complete the monitoring by continents for the behalf state of white for our driving writer meets health state (a feet of white the monitoring precisioning and behalf of the state of

If present, element from all field doc closes service health positions, as executing to a project in service method in the control of the con

As occurs of directing mater per halpest to polarise consideration by adulations that are naturally according to man each substrations can be inviteduous comparison or operate protection and individual substrations. And the inviteduous comparison or operate protection will reduce the adulation of the directing mater, individual polarison languages and according to the appendix to contain all best levels invivated of some constrained. This prosecution of contamination of the contained of the con

Some process may be more undergrade to construction in driving water than the general properties. Introduce, the contract of t

The Propiet Springs Water Association works around the clock to provide top quality water to every tap. We saik that all our cyellomes to the control of a surface and the said as the least of our community, our way of life and our children's Muse.